



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/597,467

02/14/2007

Alessandro Facchin

071308.0728

1533

31625

7590

03/10/2009

BAKER BOTTS L.L.P.

PATENT DEPARTMENT

98 SAN JACINTO BLVD., SUITE 1500

AUSTIN, TX 78701-4039

EXAMINER

KIM, CHRISTOPHER S

ART UNIT

PAPER NUMBER

3752

MAIL DATE

DELIVERY MODE

03/10/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/597,467	Applicant(s) FACCHIN, ALESSANDRO	
	Examiner Christopher S. Kim	Art Unit 3752	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 December 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. The response filed December 24, 2008 is acknowledged.
2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Rejections - 35 USC § 112

3. Claims 3-5 and 11-15 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 3 recites the limitation "a filler part that is taken in the cavity." The recitation renders the claim indefinite where claim 1 defines "wherein the cavity is empty."

Claim 3 recites the limitation "a filler part that is taken in the cavity." The recitation is a double inclusion of the "material" where claim 1 defines "wherein the cavity is filled with a material."

Claim 13 recites the limitation "a filler part that is arranged within the cavity." The recitation renders the claim indefinite where claim 11 defines "wherein the cavity is empty."

Claim 13 recites the limitation "a filler part that is arranged within the cavity." The recitation is a double inclusion of the "material" where claim 13 defines "wherein the cavity is filled with a material."

Claim Rejections - 35 USC § 102

4. Claims 1-4, 6-8, 10-14, 16-18, 20 are rejected under 35 U.S.C. 102(b) as being anticipated by Palma (4,423,842).

Palma discloses a valve body comprising:

- a needle 8;
- a cartridge 32;
- a recess 45;
- a seat plate 46 comprising:
 - a needle seat 55;
- the needle 8 further comprising:
 - a seat-part comprising:
 - a sealing area 74;
 - a cavity 91;
- a fill part 90;
- a sack volume 56.

The functional recitation "...makes the seat-part flexible in the sealing area" in lines 11-12 merely requires the ability to flex. Substantially all materials are capable of some degree of flexure.

Claim Rejections - 35 USC § 103

5. Claims 5, 9, 15 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Palma (4,423,842).

Regarding claims 5 and 15, Palma discloses the limitations of the claimed invention with the exception of the filler part consisting of plastics. Plastics are well known in the art. It would have been obvious to a person having ordinary skill in the art at the time of the invention to have made the filler part of Palma from plastics to reduce corrosion.

Regarding claims 9 and 19, Palma discloses the limitations of the claimed invention with the exception of the needle being inserted into the ball to define the cavity. Doing so is merely making the Palma's needle and ball as separate elements. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have provided a separate needle and ball in the device of Palma, since it has been held that constructing a formerly integral structure in various elements involves only routine skill in the art. *Nerwin v. Erlichman*, 168 USPQ 177, 179.

6. Claims 1, 3, 4, 6, 7, 10, 11, 13, 14, 16, 17, 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lambert et al. (6,338,445) in view of Stier (6,631,854).

Lambert discloses a valve body comprising:

a needle 12;

a cartridge 10;

a needle seat 13a;
the needle further comprising:
a seat-part comprising:
a sealing area 12b;
a cavity 17a, 27;
a filler part 18a;
a sack volume 37;
an actuator unit (fuel pump).

Lambert discloses the seat-part being flexible in figures 6 and 7 and in column 9, lines 55-60.

Lambert differs from what is being claimed in the cartridge comprising a seat plate. Lambert's seat plate is integral with the cartridge.

Stier discloses a fuel injector valve having a cartridge 2 having a seat plate 6.

It would have been obvious to a person having ordinary skill in the art at the time of the invention to have made the cartridge of Lambert into two parts to include a seat plate as taught by Stier to ease manufacturing.

Response to Arguments

7. Applicant's arguments filed December 24, 2008 have been fully considered but they are not persuasive.

Regarding Palma, Applicant argues that the cavity rather than the material of the valve 73 makes the claimed seat part flexible. The limitation "flexible" merely requires

the capability to flex. Palma's seat part of needle 8 is made flexible not only by the material but also by the cavity 91 because the flexibility of the seat part is inherently affected by the presence or absence of the cavity 91.

Applicant argues that Lambert does not disclose that the cavity makes the seat part flexible. The presence or absence of the cavity in Lambert inherently affects the flexibility of the seat part.

Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher S. Kim whose telephone number is (571)

272-4905. The examiner can normally be reached on Monday - Friday, 8:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Len Tran can be reached on (571) 272-1184. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christopher S. Kim/
Primary Examiner, Art Unit 3752

CK